

SYSTEMS SHELVING



Features

- Constructed from steel for strength and long term reliability
- Rolled side panels for strength and non-restrictive access
- Includes slotted adjustable shelves
- Initial and adjoining bays lock together
- Flexibility fast and economical to relocate, easy and space efficient to store
- Optional Decorative end panels
- Cross bracing or back panels available
- Australian designed, engineered and manufactured
- Kick Plate 66mm high

Accessories (available separately)

- Additional Adjustable Shelves
- Adjustable Slotted Shelf Dividers
- Accufile Labelling System
- Roll Out Suspension File Frame
- Roll Out Reference Shelf
- Paper Management System
- Optional Decorative end panels



Technical Specifications

Heights	1830mm 1980mm 2210mm 2388mm	Shelves	Shelf heights can be adjusted in 25mm increments Shelves and shelf clips are supplied separately. Shelf Thickness: 25mm Shelf Loading: 100kg (evenly distributed)
Widths	760mm 910mm 1220mm	Colours	Range of Dulux Powder Coat Colours (some finishes may attract surcharges)
Depths	310mm 425mm 500mm 605mm		

All dimensions are nominal and subject to change without notice. Shelf measurements are based on standard lateral files. Contact CSM to discuss customisable sizes.

Lineal Storage Metres


Shelf Lateral Files

Bay Height	1829mm	1980mm	2210mm	2388mm
Internal Height	1729mm	1880mm	2110mm	2288mm
No. of Adjustable Shelves	5	5	6	7
Storage Levels	6	6	7	8
Typical Opening	255mm	281mm	281mm	255mm

A4 Lever Arch

Bay Height	1829mm	1980mm	2210mm	2388mm
Internal Height	1729mm	1880mm	2110mm	2288mm
No. of Adjustable Shelves	3	4	5	5
Storage Levels	4	5	6	6
Typical Opening	357mm	357mm	332mm	357mm

Systems Shelving



2 Bay Side by Side



